

AIP DUTCH CARIBBEAN

TNCA RNAV (GNSS) RWY 29 CODING TABLE

Fix name	Fix type	Path Terminator	Fly-over	Course °M (°T)	Dist NM	Turn dir	Alt Ft/FL	Max KIAS	Mag var	VPA° (TCH Ft)	RNP
From Okuto											
OKUTO	IAF	IF	-	-	-	-	+FL40	-	+11.0	-	-
MIDVU	IF/IAF	TF	-	205 (193.68)	6.0	R	+2500	-	+11.0	-	1.0
From Nadav											
NADAV	IAF	IF	-	-	-	-	+FL40	-	+11.0	-	-
MIDVU	IF/IAF	TF	-	025 (013.68)	6.0	L	+2500	-	+11.0	-	1.0
From Midvu											
MIDVU	-	-	-	-	-	-	+2500	-	+11.0	-	1.0
LENIT	FAF	TF	-	295 (283.68)	5.0	-	2000	-	+11.0	-	1.0
S/D@3.4	S/D	TF	-	295 (283.66)	2.5	-	+1100	-	+11.0	-3.00 (50)	0.3
S/D@2.0	S/D	TF	-	295 (283.65)	1.4	-	+700	-	+11.0	-3.00 (50)	0.3
RW29	MAPt	TF	Y	295 (283.65)	2.0	-	-	-	+11.0	-3.00 (50)	0.3
SELOR	MATF	DF	-	-	-	L*	2500	-	+11.0	-	1.0
NADAV	MATF	TF	-	115 (103.66)	5.0	-	2500	-	+11.0	-	1.0
MIDVU	MAHF	TF	-	025 (013.68)	6.0	-	2500	-	+11.0	-	1.0

Fix name	Coordinates (WGS-84)
LENIT	N12 28 30.31 W069 54 18.10
MIDVU	N12 27 19.09 W069 49 20.15
NADAV	N12 21 27.74 W069 50 47.14
OKUTO	N12 33 10.43 W069 47 53.10
RW29	N12 29 54.64 W070 00 11.48
S/D 2.0 nm to RW29	N12 29 26.21 W069 58 12.27
S/D 3.4 nm to RW29	N12 29 06.30 W069 56 48.83
SELOR	N12 22 38.96 W069 55 44.99

* Climb on extended CL to 1000' then turn left

CHANGES: altitude restriction at NADAV.